

Author Index

- Abdelghany, A E. Feed efficiency, nutrient retention and body composition of Nile tilapia, *Oreochromis niloticus* L., fed diets containing L-ascorbic acid, L-ascorbyl-2-sulphate or L-ascorbyl-2-polyphosphate, 503
- Al-Ahmed, A A see Ridha, M T
- Al-Ameeri, A A see Ridha, M T
- Aldridge, C. Book review: Handbook of Trout and Salmon Diseases, 457
- Al-Hafedh, Y S & Siddiqui, A Q. Evaluation of guar seed as a protein source in Nile tilapia, *Oreochromis niloticus* (L.), practical diets, 703
- Al-Hafedh, Y S see Siddiqui, A Q
- Ali, S A see Siddiqui, A Q
- Al-Thobaiti, S A see James, C M
- Álvarez, M C see Martínez-Rodríguez, G
- An, H P see De Silva, S S
- Ansal, M D & Kaur, K. Relative efficacy of dietary administration of 3,5,3'-triiodothyronine (T_3) to different stages of an Indian major carp, *Cirrhina mrigala* (Hamilton): growth and economics, 835
- Antolín, J I see Pérez, J R
- Arakawa, O see Khan, S
- Arakawa, O see Ono, K
- Arulampalam, P, Yusoff, F M, Shariff, M, Law, A T & Srinivasa Rao, P S. Water quality and bacterial populations in a tropical marine cage culture farm, 617
- Atkinson, J L see Moccia, R D
- Audet, C see Roche-Mayzaud, O
- Awaiss, A & Kestemont, P. Feeding sequences (rotifer and dry diet), survival, growth and biochemical composition of African catfish, *Clarias gariepinus* Burchell (Pisces: Clariidae), larvae, 731
- Babiak, I, Glogowski, J, Luczynski, M, Goryczko, K, Dobosz, S & Kuzminski, H. The effect of individual male potency on fertilization ability of fresh and cryopreserved milt of rainbow trout, *Oncorhynchus mykiss* (Walbaum), 337
- Bai, S C see Lee, K-J
- Baiano, J C F see Burford, M A
- Baker, R T M see Morris, P C
- Basu, T K, Bhattacharyya, B, Sarkar, S K, Ganguly, S & Medda, C. Autoregressive technique in length growth modelling of two Indian major carp, *Catla catla* (Hamilton) and *Labeo rohita* (Hamilton), reared under two holding conditions, 625
- Bergh, Ø see Opstad, I
- Beveridge, M. Book review: The Trophic Cascade in Lakes, 77
- Beveridge, M. Book review: Baseline Studies of Biodiversity: the Fish Resources of Western Indonesia, 77
- Bhattacharyya, B see Basu, T K
- Bjerkeng, B. see Hatlen, B
- Black, K D see Heasman, M S
- Blanc, F see Saucedo, P
- Bolla, S & Ottesen, O H. The influence of salinity on the morphological development of yolk sac larvae of Atlantic halibut, *Hippoglossus hippoglossus* (L.), 203
- Boon, J H see Hariati, A M
- Bosworth, B G, Wolters, W R, Wise, D J & Li, M H. Growth, feed conversion, fillet proximate composition and resistance to *Edwardsiella ictaluri* of channel catfish, *Ictalurus punctatus* (Rafinesque), blue catfish, *Ictalurus furcatus* (Lesueur), and their reciprocal F1 hybrids fed 25% and 45% protein diets, 251
- Breyne, C see Leonard, V
- Brzuzan, P, Luczynski, M & Kuzniar, P A. Mitochondrial DNA variation in two samples of northern pike *Esox lucius* L., 521
- Bundit, J see Lorenzen, K
- Burford, M A, Peterson, E L, Baiano, J C F & Preston, N P. Bacteria in shrimp pond sediments: their role in mineralizing nutrients and some suggested sampling strategies, 843
- Calderon-Perez, J A see Martinez-Cordova, L R
- Canario, A V M, Condeça, J, Power, D M & Ingleton, P M. The effect of stocking density on growth in the gilthead sea-bream, *Sparus aurata* (L.), 177
- Carlos, M H see James, C M
- Carra, J M see Pérez, J R
- Caston, L see Swatland, H J
- Cavalli, R O, Peixoto, S M & Wasielesky, W. Performance of *Penaeus paulensis* (Pérez-Farfante) broodstock under long-term exposure to ammonia, 815
- Celada, J D see Pérez, J R
- Chen, H-C see Yang, H-S
- Child, A R & Laing, I. Comparative low temperature tolerance of small juvenile European, *Ostrea edulis* L., and Pacific oysters, *Crassostrea gigas* 103
- Condeça, J see Canario, A V M
- Costa, J M see Pereira, J O B
- Coyle, S D see Tidwell, J H
- Crespo, J E see Gajardo, G
- Cruz, E M see Ridha, M T
- D'Abramo, L R see Tidwell, J H
- Daniels, W H see Tidwell, J H
- Darkin, F see Swatland, H J
- Davies, S J see Morris, P C
- De Silva, S S see Jones, P L
- De Silva, S S, Sheikh-Eldin, M, Ingram, B A & An, H P. Changes in proximate and amino acid composition during early development of two Australian Percichthyid fish, Macquarie perch, *Macquaria australasica* Cuvier, and trout cod, *Maccullochella macquarensis* (Cuvier), 459
- Dhert, P see Reza, A
- Díaz, F, Espina, S, Rodríguez, C & Soto, F. Preferred temperature of grass carp, *Ctenopharyngodon idella*

- (Valenciennes), and brema carp, *Megalobrama amblycephala* (Yih), (Pisces, Cyprinidae) in horizontal and vertical gradients, 643
- Díaz, O *see* Gajardo, G
- Dillane, M G *see* Poole, W R
- Divanach, P *see* Rueda, F M
- Dobosz, S *see* Babiak, I
- Domínguez-Cen, L J *see* Olvera-Novoa, M A
- Dong, Z & Zhou, E. Application of the random amplified polymorphic DNA technique in a study of heterosis in common carp, *Cyprinus carpio* L., 595
- Duong, L T *see* Rothuis, A J
- Earl, N H *see* Laing, I
- Edwards, D B *see* Spencer, B E
- Edwards, P *see* Riley, J
- Edwards, P *see* Smart, T S
- Edwards, S J *see* Gilroy, A
- Elberizon, I R & Kelly, L A. Empirical measurements of parameters critical to modelling benthic impacts of freshwater salmonid cage aquaculture, 669
- El-Sayed, A-F M. Total replacement of fish meal with animal protein sources in Nile tilapia, *Oreochromis niloticus* (L.), feeds, 275
- Endemann, F *see* Kaiser, H
- Erfanullah & Jafri, A K. Evaluation of digestibility coefficients of some carbohydrate-rich feedstuffs for Indian major carp fingerlings, 511
- Espina, S *see* Diaz, F D
- Faber, R *see* Hariati, A M
- Fabião, A *see* Oliveira, J
- Fadjar, M *see* Hariati, A M
- Fairclough, R *see* Kibria, G
- Fast, A W *see* Qin, J G
- Felton, H M *see* Felton, S P
- Felton, S P, Luzzana, U & Felton, H M. Vitamin C lost during adaptation to salt water: ascorbic acid and ascorbyl-2-sulphate measured in chinook salmon, *Oncorhynchus tshawytscha* (Walbaum), 609
- Fraser, K P P, Lyndon, A R & Houlihan, D F. Protein synthesis and growth in juvenile Atlantic halibut, *Hippoglossus hippoglossus* (L.): application of ^{15}N stable isotope tracer, 289
- Gabrielsen, B O & Austreng E. Growth, product quality and immune status of Atlantic salmon, *Salmo salar* L., fed wet feed with alginate, 397
- Gajardo, G, Díaz, O & Crespo, J E. Allozymic variation and differentiation in naturalized populations of rainbow trout, *Oncorhynchus mykiss* (Walbaum), from southern Chile, 785
- Gangadhar, B *see* Nandeesh, M C
- Ganguly, S *see* Basu, T K
- Gara, B *see* Mangor-Jensen, A
- Gara, B, Shields, R J & McEvoy, L. A sensitive period during first feeding for the determination of pigmentation pattern in Atlantic halibut, *Hippoglossus hippoglossus* L., juveniles: the role of diet, 935
- Garcia, T *see* Taboada, G
- Gaxiola, G *see* Taboada, G
- George, T & Pandian, T J. Dietary administration of androgens induces sterility in the female-heterogametic black molly, *Poecilia sphenops*, (Cuvier & Valenciennes, 1846) 167
- Ghosal, T K *see* Kaviraj, A
- Gilroy, A & Edwards, S J. Optimum temperature for growth of Australian abalone: preferred temperature and critical thermal maximum for blacklip abalone, *Haliotis rubra* (Leach) and greenlip abalone, *Haliotis laevigata* (Leach), 481
- Glamuzina, B, Glavić, N, Skaramuca, B & Kožul, V. Induced sex reversal of dusky grouper, *Epinephelus marginatus* (Lowe), 563
- Glamuzina, B, Skaramuca, B, Glavić, N & Kožul, V. Preliminary studies on reproduction and early stages in rearing trials with dusky grouper *Epinephelus marginatus* (Lowe, 1834), 769
- Glavić, N *see* Glamuzina, B
- Glogowski, J *see* Babiak, I
- Goryczko, K *see* Babiak, I
- Guo, J Y *see* Zhao, J H
- Gurure, R M *see* Moccia, R D
- Harboe, T & Mangor-Jensen, A. The effect of light on activity and growth of Atlantic halibut, *Hippoglossus hippoglossus* L., yolk-sac larvae, 913
- Harboe, T *see* Mangor-Jensen, A
- Harboe, T *see* Pittman, K
- Harboe, T, Mangor-Jensen, A, Naas, K E & Naess, T. Time of first feeding of Atlantic halibut, *Hippoglossus hippoglossus* L., larvae, 919
- Hariati, A M, Wiadnya, D G R, Fadjar, M, Muhammad, S, Faber, R, Verdegem, M C J & Boon, J H. The impact of tiger shrimp, *Penaeus monodon* Fabricius postlarvae stocking density on production in traditional tambak systems in East Java, Indonesia, 229
- Hariati, A M, Wiadnya, D G R, Rini, R K, Boon, J H & Verdegem, M C J. *Penaeus monodon* (Fabricius) and *Penaeus merguensis* (de Man) biculture in East Java, Indonesia, 743
- Harzevili, S *see* Reza, A
- Hatlen, B, Jobling, M & Bjerkeng, B. Relationships between carotenoid concentration and colour of filets of Arctic charr, *Salvelinus alpinus* (L.), fed astaxanthin, 191
- Heasman, M S & Black, K D. The potential of Arctic charr, *Salvelinus alpinus* (L.) for mariculture, 67
- Heggberget, T.G. *see* Thorstad, E.B.
- Helvik, J V *see* Karlsen, Ø
- Hemre, G I *see* Juell, J-E
- Henne, J S *see* Mangor-Jensen, A
- Hinojosa-Baltazar, P *see* Vargas-Albores, F
- Holm, J C *see* Juell, J-E
- Houlihan, D F *see* Fraser, K P P
- Ibarra, A M *see* Palacios, E
- Ingleton, P M *see* Canario, A V M
- Ingram, B A *see* De Silva, S S
- Isaksson, Å *see* Jóhannsson, V
- Jackson, C J & Wang, Y-G. Modelling growth rate of *Penaeus monodon* Fabricius in intensively managed ponds: effects of temperature, pond age and stocking density, 27

- Jafri, A K *see* Erfanullah
- James, C M, Al-Thobaiti, S A, Rasem, B M & Carlos, M H. Growout production of the camouflage grouper, *Epinephelus polyphkadion* (Bleeker), in a tank culture system, 381
- James, P J. Rock lobster, *Jasus edwardsii* (Hutton), growth on opened versus unopened cultured mussel, *Mytilus galloprovincialis* (Lamarck), 535
- Jelmert, A *see* Pittman, K
- Jobling, M, Koskela, J & Savolainen, R. Influence of dietary fat level and increased adiposity on growth and fat deposition in rainbow trout, *Oncorhynchus mykiss* (Walbaum), 601
- Jobling, M *see* Hatlen, B
- Jóhannsson, V, Jónasson, J, Ósakarsson, S & Ísaksson, Á. The straying of Icelandic ranched Atlantic salmon, *Salmo salar* L.: release and recapture techniques, 679
- Jónasson, J *see* Jóhannsson, V
- Jones, P L & De Silva, S S. Comparison of internal and external markers in digestibility studies involving the Australian freshwater crayfish, *Cherax destructor* Clark (Decapoda, Parastacidae), 487
- Juell, J-E, Holm, J C, Hemre, G I & Lie, Ø. Growth and feeding behaviour of caged Atlantic mackerel *Scomber scombrus* L., 115
- Juntana, J *see* Lorenzen, K
- Kaiser, H, Paulet, T G & Endemann, F. Water quality fluctuations in a closed recirculating system for the intensive culture of the guppy, *Poecilia reticulata* (Peters), 611
- Kaiser, M J *see* Spencer, B E
- Karlsen, Ø, Skiftesvik, A B & Helvik, J V. Large-scale rearing of Atlantic halibut, *Hippoglossus hippoglossus* L., yolk sac larvae: effects of flow rate on growth, survival and accumulation of bacteria, 899
- Kaur, K *see* Ansal, M D
- Kaviraj, A & Ghosal, T K. Effects of compost manure on the body burden of cadmium and growth of common carp, *Cyprinus carpio* (L.), 555
- Keene, J L, Noakes, D L G, Moccia, R D & Soto, C G. The efficacy of clove oil as an anaesthetic for rainbow trout, *Oncorhynchus mykiss* (Walbaum), 89
- Kelly, L A *see* Elberizon, I R
- Kentouri, M *see* Rueda, F M
- Keshavanath, P *see* Nandeesha, M C
- Kestemont, P *see* Awaiss, A
- Khan, S, Arakawa, O & Onoue, Y. Physiological investigations of a neurotoxin-producing phytoflagellate, *Chattonella marina* (Raphidophyceae), 9
- Kibria, G, Nugegoda, D, Fairclough, R & Lam, P. Effect of temperature on phosphorus losses and phosphorus retention in silver perch, *Bidyanus bidyanus* (Mitchell 1838), (Teraponidae) fed on artificial diets, 259
- Kim, K-W *see* Lee, K-J
- Kirubakaran, R *see* Tiwari, B K
- Kožul, V *see* Glamuzina, B
- Kontara, E *see* Merchie, G
- Koskela, J *see* Jobling, M
- Kristiansen, H R. Effects of handling, discrete meals and body weight on the individual variation of gastric emptying parameters, 717
- Kucharczyk, D, Kujawa, R, Mamcarz, A, Skrzypczak, A & Wyszomirska, E. Induced spawning in perch, *Perca fluviatilis* (L.), using FSH+LH with pimoide or metoclopramide, 131
- Kujawa, R *see* Kucharczyk, D
- Kurmaly, K *see* Merchie, G
- Kuzminski, H *see* Babiak, I
- Kuzniar, P A *see* Brzuzan, P
- Lahnsteiner, F, Weismann, T & Patzner, R A. An efficient method for cryopreservation of testicular sperm from the Northern pike, *Esox lucius* L., 341
- Laing, I & Earl, N H. The lipid content, spatfall and subsequent growth of early and late settling hatchery-reared Pacific oyster, *Crassostrea gigas* Thunberg, larvae, 19
- Laing, I *see* Child, A R
- Lam, P *see* Kibria, G
- Lam, T J *see* Zhao, J H
- Larondelle, Y *see* Leonard, V
- Lavens, P *see* Merchie, G
- Law, A T *see* Arulampalam, P
- Leatherland, J F *see* Vandenberg, G W
- Lee, K-J, Kim, K-W & Bai, S C. Effects of different dietary levels of L-ascorbic acid on growth and tissue vitamin C concentration in juvenile Korean rockfish, *Sebastes schlegelii* (Hilgendorf), 237
- Leonard, V, Breyné, C, Micha, J-C & Larondelle, Y. Digestibility and transit time of *Azolla filiculoides* Lamarck in *Oreochromis aureus* (Steindachner), 159
- Li, M H *see* Bosworth, G B
- Lie, Ø *see* Juell, J-E
- Lie, Ø *see* Naess, T
- Lorenzen, K, Juntana, J, Bundit, J & Tourongruang, D. Assessing culture fisheries practices in small waterbodies: a study of village fisheries in north-east Thailand, 211
- Luczynski, M *see* Babiak, I
- Luczynski, M *see* Brzuzan, P
- Luzzana, U *see* Felton, S P
- Lyndon, A R *see* Fraser, K P P
- Magallón-Barajas, F *see* Vargas-Albores, F
- Mamcarz, A *see* Kucharczyk, D
- Mangor-Jensen, A *see* Harboe, T
- Mangor-Jensen, A, Harboe, T, Hennø, J S & Troland, R. Atlantic halibut, *Hippoglossus hippoglossus* L., larvae cultivation literature, including a bibliography, 887
- Mangor-Jensen, A, Harboe, T, Shields, R J, Gara, B & Naas, K E. Editorial, 857
- Marengoni, N G & Onoue, Y. Ultraviolet-induced androgenesis in Nile tilapia, *Oreochromis niloticus* (L.) and hybrid Nile × blue tilapia, *O. aureus* (Steindachner), 359
- Martinez, F J *see* Rueda, F M
- Martinez-Cordova, L R, Porchas-Cornejo, M A, Villarreal-Colmenares, H & Calderon-Perez, J A. Evaluation of three feeding practices on the winter culture of yellowleg shrimp, *Penaeus californiensis* (Holmes), in low water exchange ponds, 573
- Martinez-Cordova, L R, Villarreal-Colmenares, H & Porchas-Cornejo, M A. Response of biota to aeration rate in low

- water exchange ponds farming white shrimp, *Penaeus vannamei* Boone, 587
- Martínez-Palacios, C A *see* Olvera-Novoa, M A
- Martínez-Rodríguez, G, Álvarez, M C & McAndrew, B J. Genetic variability of European sea bass, *Dicentrarchus labrax* L.: data from a hatchery stock, 851
- Martin-Robichaud, D J & Peterson, R H. Effects of light intensity, tank colour and photoperiod on swimbladder inflation success in larval striped bass, *Morone saxatilis* (Walbaum), 539
- Matsumoto, S *see* Ono, K
- Mayzaud, P *see* Roche-Mayzaud, O
- McAndrew, B J *see* Martínez-Rodríguez, G
- McCracken, K J *see* Wheatherup, R N
- McEvoy, L *see* Gara, B
- Medda, C *see* Basu, T K
- Merchie, G, Kontara, E, Lavens, P, Robles, R, Kurmaly, K & Sorgeloos, P. Effect of vitamin C and astaxanthin on stress and disease resistance of postlarval tiger shrimp, *Penaeus monodon* (Fabricius), 579
- Micha, J-C *see* Leonard, V
- Moccia, R D *see* Keene, J L
- Moccia, R D *see* Swatland, H J
- Moccia, R D *see* Vandenberg, G W
- Moccia, R D, Gurure, R M, Atkinson, J L & Vandenberg, G W. Effects of the repartitioning agent ractopamine on the growth and body composition of rainbow trout, *Oncorhynchus mykiss* (Walbaum), fed three levels of dietary protein, 687
- Moccia, R D *see* Vandenberg, G W.
- Monteforte, M *see* Saucedo, P
- Morris, P C, Baker, R T M & Davies, S J. Nicotinic acid supplementation of diets for the African catfish, *Clarias gariepinus* (Burchell), 791
- Muñoz, C *see* Pérez, J R
- Muhammad, S *see* Hariati, A M
- Naas, K E *see* Harboe, T
- Naas, K E *see* Mangor-Jensen, A
- Næss, T & Lie, Ø. A tank design for first feeding of halibut, *Hippoglossus hippoglossus* L., larvae, 925
- Næss, T *see* Harboe, T
- Næss, T *see* Pittman, K
- Nakanishi, M *see* Ono, K
- Nam, C Q *see* Rothuis, A J
- Nandeesh, M C, Gangadhar, B, Varghese, T J & Keshavanath, P. Effect of feeding *Spirulina platensis* on the growth, proximate composition and organoleptic quality of common carp, *Cyprinus carpio* L., 305
- Naylor, S J *see* Swatland, H J
- Nhan, D K *see* Rothuis, A J
- Noakes, D L G *see* Keene, J L
- Nugegoda, D *see* Kibria, G
- Ogawa, Y *see* Ono, K
- Oka, M *see* Takemura, A
- Økland, F *see* Thorstad, E B
- Oliveira, J & Fabião, A. Growth responses of juvenile red swamp crayfish, *Procambarus clarkii* Girard, to several diets under controlled conditions, 123
- Olivera-Castillo, L *see* Olvera-Novoa, M A
- Ollevier, F *see* Rothuis, A J
- Olsen, R E & Ringø, E. The influence of temperature on the apparent nutrient and fatty acid digestibility of Arctic char, *Salvelinus alpinus* L., 695
- Olvera-Novoa, M A, Domínguez-Cen, L J, Olivera-Castillo, L & Martínez-Palacios, C A. Effect of the use of the microalga *Spirulina maxima* as fish meal replacement in diets for tilapia, *Oreochromis mossambicus* (Peters), fry, 709
- Ono, K, Arakawa, O, Onoue, Y, Matsumoto, S, Shihara, H, Takeda, K, Nakanishi, M, Yamaji, T, Uemura, K & Ogawa, Y. Synthetic surfactants for protecting cultured fish against toxic phytoplankton, 569
- Onoue, Y *see* Khan, S
- Onoue, Y *see* Marengoni, N G
- Onoue, Y *see* Ono, K
- Opstad, I, Bergh, Ø & Skiftesvik, A B. Design and operation of Atlantic halibut, *Hippoglossus hippoglossus* L., egg incubators, 893
- Ósakarsson, S *see* Jóhannsson, V
- Otlesen, O H *see* Bolla, S
- Palacios, E, Ibarra, A M, Ramirez, J L, Portillo, G & Racotta, I S. Biochemical composition of eggs and nauplii in White Pacific Shrimp, *Penaeus vannamei* (Boone), in relation to the physiological condition of spawners in a commercial hatchery, 183
- Pandian, Thavamani J. *see* George, Thomas
- Patzner, R A *see* Lahnsteiner, F
- Paulet, T G *see* Kaiser, H
- Pedroza, R *see* Taboada, G
- Peixoto, S M *see* Cavalli, R O
- Pereira, J O B, Reis-Henriques, M A, Sanchez, J L & Costa, J M. Effect of protein source on the reproductive performance of female rainbow trout, *Oncorhynchus mykiss* (Walbaum), 751
- Pérez, J R, Carral, J M, Celada, J D, Muñoz, C, Sáez-Royuela, M & Antolín, J I. Effects of stripping time on the success of the artificial incubation of white-clawed crayfish, *Austropotamobius pallipes* (Lereboullet), eggs, 389
- Peterson, E L *see* Burford, M A
- Peterson, R H *see* Martin-Robichaud, D J
- Pittman, K, Jelmert, A, Næss, T, Harboe, T & Watanabe, K. Feeding strategies to achieve correct metamorphosis of Atlantic halibut, *Hippoglossus hippoglossus* L., using enriched *Artemia*, 949
- Poole, W R & Dillane, M G. Estimation of sperm concentration of wild and reconditioned brown trout, *Salmo trutta* L., 439
- Porchas-Cornejo, M A *see* Martínez-Cordova, L R
- Portillo, G *see* Palacios, E
- Portillo-Clark, G *see* Vargas-Albores, F
- Power, D M *see* Canario, A V M
- Preston, N P *see* Burford, M A
- Qin, J G & Fast, A W. Effects of temperature, size and density on culture performance of snakehead, *Channa striatus* (Bloch), fed formulated feed, 299
- Racotta, I S *see* Palacios, E

- Ramirez, J L *see* Palacios, E
 Rasem, B M *see* James, C M
 Ray, A K *see* Saha, A K
 Ray, A K *see* Tiwary, B K
 Reis-Henriques, M A *see* Pereira, J O B
 Richter, C J J *see* Rothuis, A J
 Ridha, M T, Cruz, E M, Al-Ameeri, A A & Al-Ahmed, A A.
 Effects of controlling temperature and light duration on
 seed production in the tilapia *Oreochromis spilurus*
 (Günther). 403
 Riley, J & Edwards, P. Statistical aspects of aquaculture
 research: pond variability and pseudoreplication, 281
 Riley, J *see* Smart, T S
 Ringø, E *see* Olsen, R E
 Rini, R K *see* Hariati, A M
 Robles, R *see* Merchie, G
 Roche-Mayzaud, O, Mayzaud, P & Audet, C. Changes in
 lipid classes and trypsin activity during the early
 development of brook charr, *Salvelinus fontinalis*
 (Mitchill). fry, 137
 Rodríguez, C R *see* Díaz, F D
 Rosas, C *see* Taboada, G
 Rothuis, A J, Duong, L T, Richter, C J J & Ollevier, F.
 Polyculture of silver barb, *Puntius gonionotus* (Bleeker),
 Nile tilapia, *Oreochromis niloticus* (L.), and common carp,
Cyprinus carpio L. in Vietnamese ricefields: feeding
 ecology and impact on rice and ricefield environment.
 649
 Rothuis, A J, Nam, C Q, Richter, C J J & Ollevier, F.
 Polyculture of silver barb, *Puntius gonionotus* (Bleeker),
 Nile tilapia, *Oreochromis niloticus* (L.), and common carp,
Cyprinus Carpio L. in Vietnamese ricefields: fish
 production parameters. 661
 Rothuis, A J, Nhan, D K, Richter, C J J & Ollevier, F. Rice
 with fish culture in the semi-deep waters of the Mekong
 Delta, Vietnam: a socio-economical survey. 47
 Rothuis, A J, Nhan, D K, Richter, C J J & Ollevier, F. Rice
 with fish culture in the semi-deep waters of the Mekong
 Delta, Vietnam: interaction of rice culture and fish
 husbandry management on fish production. 59
 Rueda, F M, Martinez, F J, Zamora, S, Kentouri, M &
 Divanach, P. Effect of fastening and refeeding on growth
 and body composition of red porgy, *Pagrus pagrus* L.. 447
 Sáez-Royuela, M *see* Pérez, J R
 Saha, A K & Ray, A K. Evaluation of *Chuni*, a commercially
 available low-cost cattle fodder, in the diet for rohu,
Labeo rohita (Hamilton), fingerlings. 761
 Sanchez, A *see* Taboada, G
 Sanchez, J L *see* Pereira, J O B
 Santos, E A *see* Schmitt, A S C
 Sarkar, S K *see* Basu, T K
 Saucedo, P, Monteforte, M & Blanc, F. Changes in shell
 dimensions of pearl oysters, *Pinctada mazatlanica* (Hanley
 1856) and *Pteria sterna* (Gould 1851), during growth as
 criteria for Mabé pearl implants. 801
 Savolainen, R *see* Jobling, M
 Schmitt, A S C & Santos, E A. Ammonia-N efflux rate and
 nutritional state of juvenile pink shrimp *Penaeus paulensis*
 (Perez-Farfante) in relation to food type. 495
 Seki, S *see* Siraj, S S
 Shariff, M *see* Arulampalam, P
 Sheikh-Eldin, M *see* De Silva, S S
 Shields, R J *see* Gara, B
 Shields, R J *see* Mangor-Jensen, A
 Shihara, H *see* Ono, K
 Shiri Harzevili, A R, Van Duffel, H, Dhert, Ph, Swings, J &
 Sorgeloos, P. Use of a potential probiotic *Lactococcus lactis*
 AR21 strain for the enhancement of growth of the
 rotifer *Brachionus plicatilis* (Müller). 411
 Siddiqui, A Q *see* Al-Hafedh, Y S
 Siddiqui, A Q, Al-Hafedh, Y S & Ali, S A. Effect of dietary
 protein level on reproductive performance of Nile tilapia,
Oreochromis niloticus (L.). 349
 Siraj, S S, Seki, S & Taniguchi, N. DNA fingerprinting in
 Malaysian strain of Javanese carp, *Puntius gonionotus*
 (Bleeker), detected by YNZ22 DNA probe. 453
 Skaramuca, B *see* Glamuzina, B
 Skaramuca, B *see* Glamuzina, B
 Skiftesvik, A B *see* Karlsen, Ø
 Skiftesvik, A B *see* Opstad, I
 Skrzypczak, A *see* Kucharczyk, D
 Smart, T S, Riley, J & Edwards, P. Statistical aspects of
 aquaculture research: one- and two-season cross-over
 designs. 153
 Smart, T S, Riley, J & Edwards, P. Statistical aspects of
 aquaculture research: sample sizes for pond experiments.
 373
 Sorgeloos, P *see* Merchie, G
 Sorgeloos, P *see* Reza, A
 Soto, C G *see* Keene, J L
 Soto, L A *see* Taboada, G
 Spencer, B E, Kaiser, M J & Edwards, D B. Intertidal clam
 harvesting: benthic community change and recovery. 429
 Srinivasa Rao, P S *see* Arulampalam, P
 Swatland, H J, Darkin, F, Naylor, S J, Caston, L & Moccia, R
 D. Muscle colour development in Arctic charr, *Salvelinus*
alpinus (L.), monitored by fibre-optics and electrical
 impedance. 367
 Swings, J *see* Reza, A
 Taboada, G, Gaxiola, G, Garcia, T, Pedroza, R, Sanchez, A,
 Soto, L A & Rosas, C. Oxygen consumption and ammonia-
 N excretion related to protein requirements for growth of
 white shrimp, *Penaeus setiferus* (L.), juveniles. 823
 Takeda, K *see* Ono, K
 Takemura, A & Oka, M. Immunochemical sexing of living
 yellowfin tuna, *Thunnus albacares* (Bonnaterre), using
 vitellogenin-like protein. 245
 Taniguchi, N *see* Siraj, S S
 Thomas, R G *see* Wayman, W R
 Thorstad, E B, Heggberget, T G & Økland, F. Migratory
 behaviour of adult wild and escaped farmed Atlantic
 salmon, *Salmo salar* L., before, during and after spawning
 in a Norwegian river. 419
 Tidwell, J H, Webster, C D, Coyle, S D, Daniels, W H &
 D'Abramo, L R. Fatty acid and amino acid composition of
 eggs, muscle and midgut glands of freshwater prawns
Macrobrachium rosenbergii (de Man) raised in fertilized
 ponds, unfertilized ponds or fed prepared diets. 37
 Tiersch, T R *see* Wayman, W R
 Ting, Y-Y *see* Yang, H-S

- Tiwary, B K, Kirubakaran, R & Ray, A K. Testosterone-mediated complete feminization with precocious ovarian maturation in catfish, *Heteropneustes fossilis* (Bloch), 333
- Tourongruang, D see Lorenzen, K
- Troland, R see Mangor-Jensen, A
- Uemura, K see Ono, K
- van Dam, A A see Van Der Meer, M B
- van der Meer, M B & van Dam, A A. Modelling growth of *Colossoma macropomum* (Cuvier): comparison of an empirical and an explanatory model, 313
- Van Duffel, H see Reza, A
- Vandenberg, G W & Moccia, R D. Growth performance and carcass composition of rainbow trout, *Oncorhynchus mykiss* (Walbaum), fed the β -agonist ractopamine, 469
- Vandenberg, G W, Leatherland, J F & Moccia, R D. The effects of the beta-agonist ractopamine on growth hormone and intermediary metabolite concentrations in rainbow trout, *Oncorhynchus mykiss* (Walbaum), 79
- Vandenburg, G W see Moccia, R D
- Vargas-Albores, F, Hinojosa-Baltazar, P, Portillo-Clark, G & Magallón-Barajas, F. Influence of temperature and salinity on the yellowleg shrimp, *Penaeus californiensis* Holmes, prophenoloxidase system, 549
- Varghese, T J see Nandeesha, M C
- Verdegem, M C J see Hariati, A M
- Villareal-Colmenares, H see Martinez-Cordova, L R
- Wang, Y-G see Jackson, C J
- Wasielisky, W see Cavalli, R O
- Watanabe, K see Pittman, K
- Wayman, W R, Tiersch, T R & Thomas, R G. Refrigerated storage and cryopreservation of sperm of red drum, *Sciaenops ocellatus* L., 267
- Webster, C D see Tidwell, J H
- Weismann, T see Lahnsteiner, F
- Wheatherup, R N & McCracken, K J. Comparison of estimates of digestibility of two diets for rainbow trout *Oncorhynchus mykiss* (Walbaum) using two markers and two methods of faeces collection, 527
- Wiadnya, D G R see Hariati, A M
- Wiedemeyer, W L. Contributions to the larval biology of the red lipped conch, *Strombus luhuanus* L. 1758, with respect to seed production for mariculture, 1
- Wise, D J see Bosworth, G B
- Wolters, W R see Bosworth, G B
- Yamaji, T see Ono, K
- Yang, H-S, Ting, Y-Y & Chen, H-C. Blocking polar body with cytochalasin B in the fertilized eggs of the small abalone, *Haliotis diversicolor supertexta* (Lischke), and development and ploidy of the resultant embryos, 775
- Yusoff, F M see Arulampalam, P
- Zamora, S see Rueda, F M
- Zhao, J H, Guo, J Y & Lam, T J. Lethal doses of ammonia on the late-stage larvae of Chinese mitten-handed crab, *Eriocheir sinensis* (H. Milne-Edwards), (Decapoda: Grapsidae) reared in the laboratory, 635
- Zhou, E see Dong, Z

Subject Index

- Abalone
 Australian blacklip, temperature preferences, 481
 Australian greenlip, temperature preferences, 481
 small, cytochalasin B, blocking polar body, 775
 Aeration rate, biota response, 587
 Alginate, wet feed, Atlantic salmon, 397
 Amino acid profiles
 Australian Percichthyid fish, early development, 459
 diet, prawn, 37
 Ammonia excretion
 diet, pink shrimp, 495
 protein requirement, white shrimp, 823
 Ammonia toxicity
 Chinese mitten-handed crab, 635
 pink shrimp broodstock, 815
 Anaesthetic, clove oil, rainbow trout, 89
 Androgenesis, UV-induced, tilapia, 359
 Androgens
 induced sex reversal, dusky grouper, 563
 induction of sterility, black molly, 167
 precocious ovarian maturation, catfish, 333
Artemia, diet, in Atlantic halibut metamorphosis, 935
 Ascorbic acid *see* Vitamin C
 Astaxanthin
 carotenoid concentration, fillet colour, Arctic charr, 191
 stress and disease resistance, tiger shrimp, 579
 Australia
 early development of Percichthyid fish, 459
 temperature preferences of abalone, 481
Austropotamobius pallipes (Lereboullet) *see* Crayfish, white-clawed
 Autoregressive technique, length growth modelling, Indian major carp, 625
Azolla filiculoides, digestibility and transit time in tilapia, 159
 Bacteria
 populations, water quality, cage culture, 617
 rearing of Atlantic halibut, flow rate, 893
 in shrimp pond sediments, 843
 Barb, silver, polyculture in Vietnamese ricefields, 649, 661
 Bass
 sea, genetic variability, 851
 striped, swimbladder inflation, tank colour and photoperiod, 539
 Benthic community changes
 intertidal harvesting, clam, 429
 modelling, freshwater salmonid cage aquaculture, 669
 Biculture, shrimp, Indonesia, 743
Bidyanus bidyanus (Mitchell 1838) *see* Perch, silver
 Biochemical composition, egg and nauplii variables, shrimp
 spawner condition, 183
 Biota, response to aeration rate, 587
 Body composition
 ascorbic acid, in Nile tilapia diets, 503
 fasting and refeeding, red porgy, 447
 hybridization of channel and blue catfish, diet, 251
 ractopamine effects, rainbow trout, 469, 687
 Body weight, gastric emptying parameters, 717
Brachionus calyciflorus *see* Rotifer
Brachionus plicatilis (Müller) *see* Rotifer
 Bream, gilthead sea, stocking density and growth, 177
 Cadmium, body burden, common carp, 555
 Cage culture
 salmonid, modelling benthic impacts, 669
 water quality, bacterial counts, 617
 Carotenoid concentration, flesh colour, Arctic charr, 191, 367
 Carp
 brema, preferred temperature, 643
 common
 cadmium body burden, 555
 heterosis, 595
 polyculture in Vietnamese ricefields, 649, 661
Spirulina platensis diet, 305
 grass, preferred temperature, 643
 Indian major
 Chuni in diet, 761
 digestibility coefficients of feedstuffs, 511
 growth, T₃ feeding, 835
 length growth modelling, 625
 Javanese, DNA fingerprinting, 453
 Catfish
 African
 characteristics of larvae, diet, 731
 nicotinic acid supplementation of diets, 791
 blue, resistance to *E. ictaluri*, diet, 251
 channel, resistance to *E. ictaluri*, diet, 251
 hybridization, growth and feed conversion, 251
 hybridization, resistance to *E. ictaluri*, 251
 Indian, precocious ovarian maturation, 333
Catla catla (Hamilton) *see* Carp, Indian major
 Cattle fodder (Chuni), diet, Indian major carp, 761
Channa striatus (Bloch) *see* Snakehead
 Charr
 Arctic
 carotenoid concentration, fillet colour, 191, 367
 muscle colour development, 367
 potential for mariculture, 67
 temperature, lipid digestion, 695
 brook, development, lipid classes and trypsin activity, 137
Chattonella marina, neurotoxin-producing, physiological investigations, 9
Cherax destructor (Clark) *see* Crayfish, Australian
 freshwater
 Chile, allozymic variation, rainbow trout, 785
 Chuni, diet, Indian major carp, 761
Cirrhinus mrigala (Hamilton) *see* Carp, Indian major
 Clam, Manila, intertidal harvesting, benthic community changes, 429
Clarias gariepinus (Burchell) *see* Catfish, African
 Clove oil, as anaesthetic, rainbow trout, 89
Colossoma macropomum (Cuvier) *see* Tambaqui
 Colour
 carotenoid concentration, Arctic charr, 191, 367
 development in Arctic charr, 367
 tank, swimbladder inflation, striped bass, 539
 Compost manure, cadmium body burden, common carp, 555
 Conch, red-lipped, larval biology and seed production, 1
 Crab, Chinese mitten-handed, ammonia toxicity, 635
Crassostrea gigas (Thunberg) *see* Oyster, Pacific
 Crayfish
 Australian
 characteristics of larvae, diet, 731
 nicotinic acid supplementation of diets, 791
 blue, resistance to *E. ictaluri*, diet, 251
 channel, resistance to *E. ictaluri*, diet, 251
 hybridization, growth and feed conversion, 251
 hybridization, resistance to *E. ictaluri*, 251
 Indian, precocious ovarian maturation, 333
Catla catla (Hamilton) *see* Carp, Indian major
 Cattle fodder (Chuni), diet, Indian major carp, 761
Channa striatus (Bloch) *see* Snakehead
 Charr
 Arctic
 carotenoid concentration, fillet colour, 191, 367
 muscle colour development, 367
 potential for mariculture, 67
 temperature, lipid digestion, 695
 brook, development, lipid classes and trypsin activity, 137
Chattonella marina, neurotoxin-producing, physiological investigations, 9
Cherax destructor (Clark) *see* Crayfish, Australian
 freshwater
 Chile, allozymic variation, rainbow trout, 785
 Chuni, diet, Indian major carp, 761
Cirrhinus mrigala (Hamilton) *see* Carp, Indian major
 Clam, Manila, intertidal harvesting, benthic community changes, 429
Clarias gariepinus (Burchell) *see* Catfish, African
 Clove oil, as anaesthetic, rainbow trout, 89
Colossoma macropomum (Cuvier) *see* Tambaqui
 Colour
 carotenoid concentration, Arctic charr, 191, 367
 development in Arctic charr, 367
 tank, swimbladder inflation, striped bass, 539
 Compost manure, cadmium body burden, common carp, 555
 Conch, red-lipped, larval biology and seed production, 1
 Crab, Chinese mitten-handed, ammonia toxicity, 635
Crassostrea gigas (Thunberg) *see* Oyster, Pacific
 Crayfish

- Australian freshwater, digestibility markers, 487
 red swamp, growth response to diet, 123
 white-clawed, artificial incubation of eggs, 389
- Cross-over study designs, statistical aspects, 153
- Cryopreservation, sperm
 Northern pike, 341
 rainbow trout, 337
 red drum, 267
- Ctenopharyngodon idella* (Valenciennes) *see* Carp, grass
- Culture methods
 feeding practices, yellowleg shrimp, 573
 intensive, water quality, guppy, 611
 mariculture, potential of Arctic charr, 67
 rice-fish
 fish husbandry management and production, 59
 polyculture, 649, 661
 socio-economic aspects, 47
 shrimp biculture, Indonesia, 743
 tank design, first feeding, Atlantic halibut, 919
 village fisheries in small waterbodies, Thailand, 211
- Cyprinus carpio* L. *see* Carp, common
- Cytochalasin B, blocking polar body, small abalone eggs, 775
- Dicentrarchus labrax* L. *see* Bass, sea
- Diet
 African catfish
 characteristics, 731
 nicotinic acid supplementation, 791
 alginate, Atlantic salmon, 397
 amino acid profiles, prawn, 37
 ammonia-N efflux rate, pink shrimp, 495
 ascorbic acid, Nile tilapia, 503
 Atlantic halibut
 metamorphosis, 935
 pigmentation pattern, 925
 Atlantic salmon, wet alginate feed, 397
 catfish, resistance to *E. ictaluri*, 251
 Chuni, Indian major carp, 761
 common carp
 polyculture in Vietnamese ricefields, 649
Spirulina platensis, 305
 crayfish, digestibility markers, 487
 discrete meals, gastric emptying parameters, 717
 formulated, snakehead culture, 299
 growth response, red swamp crayfish, 123
 guar seed as protein source, Nile tilapia, 703
 Indian major carp
 Chuni, 761
 digestibility coefficients, 511
 T₃ feeding, 835
 Korean rockfish, vitamin C supplementation, 237
 microalgal fish meal replacement, tilapia, 709
 nicotinic acid supplementation, African catfish, 791
 Nile tilapia
 animal protein sources, 275
 ascorbic acid, 503
 guar seed as protein source, 703
 polyculture, Vietnamese ricefields, 649
 protein level, reproductive performance, 349
 prawn, amino acid/fatty acid profiles, 37
 protein
 animal sources, for Nile tilapia, 275
 catfish resistance to *E. ictaluri*, 251
 level, reproductive performance, Nile tilapia, 349
 ractopamine effects, rainbow trout, 469, 687
 requirement, white shrimp, 823
 source, reproduction, rainbow trout, 751
 rainbow trout
 digestibility markers, 527
 fat level and growth, 601
 protein source, reproduction, 751
 ractopamine effects, 469, 687
 red swamp crayfish, growth response, 123
 salmonid, modelling benthic impacts, 669
 shrimp
 pink, ammonia-N efflux rate, 495
 white, protein requirement, 823
 silver barb, polyculture in Vietnamese ricefields, 649
 snakehead, formulated feed, 299
Spirulina platensis, common carp, 305
 T₃ feeding, Indian major carp, 835
 tilapia
 digestibility of *Azolla filiculoides*, 159
 microalgal fish meal replacement, 709, 709
 vitamin C supplementation, Korean rockfish, 237
- Digestibility
Azolla filiculoides, tilapia, 159
 coefficients, feedstuffs for Indian major carp, 511
 lipids, in Arctic charr, 695
 markers
 freshwater crayfish, 487
 rainbow trout, 527
- Disease resistance, vitamin C and astaxanthin in tiger shrimp, 579
- DNA
 fingerprinting, Javanese carp, 453
 mitochondrial variation, Northern pike, 521
 RAPD analysis, heterosis in common carp, 595
- Drum, red, cryopreservation of sperm, 267
- Economic aspects
 rice-fish culture in Vietnam, 47
 T₃ feeding, major carp growth, 835
- Edwardsiella ictaluri*, resistance of channel and blue catfish, 251
- Eggs
 artificial incubation, white-clawed crayfish, 389
 biochemical variables, shrimp spawner conditions, 183
 blocking polar body, small abalone, 775
 incubators, Atlantic halibut, 887
- Electrical impedance, muscle colour development, Arctic charr, 367
- Epinephelus marginatus* (Lowe) *see* Grouper, dusky
- Epinephelus polyphekadion* (Bleeker) *see* Grouper, camouflage
- Eriocheir sinensis* (H. Milne-Edwards) *see* Crab, Chinese mitten-handed
- Esox lucius* L. *see* Pike, Northern
- Fasting, growth and body composition, red porgy, 447
- Fat, dietary level, growth in rainbow trout, 601
- Fatty acids
 digestibility in Arctic charr, 695
 profiles, prawn, diet, 37
- Feed conversion, hybridization of channel and blue catfish, diet, 251
- Feeding
 behaviour, growth of Atlantic mackerel, 115
 discrete meals, gastric emptying parameters, 717
 fasting and refeeding, red porgy, 447
 first, Atlantic halibut, 913, 919, 919, 925
 practices, shrimp culture, 573
 sequences, African catfish larvae, 731
 strategies, Atlantic halibut metamorphosis, 935
- Fertilization, potency of rainbow trout, 337
- Fibre-optics, muscle colour development, Arctic charr, 367
- Fillet *see* Body composition, Colour

- Flesh composition *see* Body composition
 Flow rate, large-scale rearing, Atlantic halibut, 893
 Follicle stimulating hormone (FSH), induced spawning, perch, 131
- Gastric emptying parameters, salmonids, 717
- Genetic differences
 allozymic variation, rainbow trout, 785
 RAPD analysis, heterosis in common carp, 595
 restriction analysis, Northern pike, 521
 starch gel electrophoresis, sea bass, 851
- Grouper
 camouflage, growout production, 381
 dusky
 rearing trials, 769
 sex reversal, 563
- Growth
 Atlantic halibut
 effect of light, 899
 efficiency, 289
 flow rate, 893
 Atlantic mackerel, feeding behaviour, 115
 Atlantic salmon, wet alginate feed, 397
 Australian abalone, temperature preferences, 481
 cadmium body burden, common carp, 555
 camouflage grouper, growout production, 381
 common carp
 cadmium body burden, 555
Spirulina platensis diet, 305
- diet
 Atlantic salmon, 397
 common carp, 305
 hybridization of channel and blue catfish, 251
 rainbow trout, 469, 601, 687
 red swamp crayfish, 123
 rock lobster, 535
 gilthead sea-bream, stocking density, 177
 hybridization of channel and blue catfish, diet, 251
 Indian major carp, T₃ feeding, 835
 pearl oysters, shell dimensions, implants, 801
 probiotic, rotifer, 411
 rainbow trout
 dietary fat level, 601
 ractopamine effects, 469, 687
 red porgy, fasting and refeeding, 447
 rock lobsters, mussel diets, 535
 rotifer, potential probiotic, 411
 tambaqui, modelling, 313
- Growth hormone, effects of ractopamine, rainbow trout, 79
- Growth models
 autoregressive technique, 625
 Indian major carp, 625
 shrimp, 27
 tambaqui, 313
- Growth response, red swamp crayfish, diet, 123
- Guar seed, protein source, Nile tilapia, 703
- Guppy, intensive culture, water quality, 611
- Halibut, Atlantic
 egg incubators, design and operation, 887
 feeding strategies, metamorphosis, 935
 first feeding
 pigmentation pattern, diet, 925
 tank design, 919
 timing, 913
 flow rate, large-scale rearing, 893
 larvae cultivation: review, 857
 light, effects on growth and activity, 899
 plasticity of postmetamorphic forms, 949
 protein synthesis and growth efficiency, 289
 salinity, larval development, 203
Haliotis diversicolor supertexta (Lischke) *see* Abalone, small
Haliotis laevigata (Leach) *see* Abalone, greenlip
Haliotis rubra (Leach) *see* Abalone, blacklip
 Handling, gastric emptying parameters, 717
Heteropneustes fossilis (Bloch) *see* Catfish, Indian
 Heterosis, RAPD analysis, common carp, 595
Hippoglossus hippoglossus L. *see* Halibut, Atlantic
- Iceland, straying of ranched salmon, 679
Ictalurus furcatus (Lesueur) *see* Catfish, blue
Ictalurus punctatus (Rafinesque) *see* Catfish, channel
 Immune status, Atlantic salmon, wet alginate feed, 397
 Immunochemistry, sexing of yellowfin tuna, 245
 Incubation, artificial, white-clawed crayfish eggs, 389
 Incubators, Atlantic halibut eggs, 887
- Indonesia
 extensive shrimp production, stocking density, 229
 shrimp, biculture, 743
- Induced spawning, FSH+LH with pimozide or metoclopramide, perch, 131
- Intertidal harvesting, benthic community changes, clam, 429
- Isotope tracer, protein synthesis in Atlantic halibut, 289
- Jasus edwardsii* (Hutton) *see* Lobster, rock
- Korea *see* Rockfish, Korean
- Labeo rohita* (Hamilton) *see* Carp, Indian major
Lactococcus lactis AR21, potential probiotic, rotifer growth, 411
- Larvae
 Atlantic halibut
 cultivation: review, 857
 influence of salinity, 203
 biology, *Strombus luhuanus*, seed production, 1
 settlement, Pacific oyster spatfall, 19
- Light
 duration, seed production, tilapia, 403
 effects on growth, Atlantic halibut, 899
 intensity, swimbladder inflation, striped bass, 539
- Lipids
 content, Pacific oyster spatfall, 19
 digestibility in Arctic charr, 695
 profiles, development of brook charr fry, 137
- Lobster, rock, growth on mussel diets, 535
- Luteinizing hormone (LH), induced spawning, perch, 131
- Maccullochella macquarensis* (Cuvier) *see* Trout cod
Macrobrachium rosenbergii (de Man) *see* Prawn, giant
 Mackerel, Atlantic, growth and feeding behaviour, 115
Macquaria australasica (Cuvier) *see* Perch, Macquarie
 Management, interaction of rice culture and fish husbandry, 59
- Megalobrama amblycephala* (Yih) *see* Carp, brema
- Metamorphosis, feeding strategies, Atlantic halibut, 935
- Metoclopramide, induced spawning, perch, 131
- Microalga, fish meal replacement, tilapia, 709
- Migratory behaviour, Atlantic salmon, 419
- Models
 benthic impacts, freshwater salmonid cage aquaculture, 669
see also Growth models
 Molly, black, androgen-induced sterility, 167
Morone saxatilis (Walbaum) *see* Bass, striped

- Mussel, in rock lobster diets, 535
Mytilus galloprovincialis (Lamarck) *see* Mussel
- Nauplii, biochemical variables, shrimp spawner conditions, 183
- Neurotoxins, *Chattonella marina*, physiological investigations, 9
- Nicotinic acid, supplementation, African catfish, 791
- Nitrogen efflux rates, pink shrimp, diet, 495
- Norway, migratory behaviour of Atlantic salmon, 419
- Onchorhynchus mykiss* (Walbaum) *see* Trout, rainbow
Onchorhynchus tshawytscha (Walbaum) *see* Salmon, chinook
- Oreochromis aureus* (Steindachner) *see* Tilapia, blue
Oreochromis mossambicus (Peters) *see* Tilapia
Oreochromis niloticus L. *see* Tilapia, Nile
Oreochromis spilurus (Günther) *see* Tilapia
Ostrea edulis L. *see* Oyster, European
- Oxygen consumption, protein requirement, white shrimp, 823
- Oyster
 European, low temperature tolerance, 103
 Pacific
 low temperature tolerance, 103
 spatfall, 19
 pearl, shell dimensions, pearl implants, 801
- Pagrus pagrus* L. *see* Porgy, red
- Pearl implants, shell dimensions of oysters, 801
- Penaeus californiensis* (Holmes) *see* Shrimp, yellowleg
Penaeus merguensis (de Man) *see* Shrimp
Penaeus monodon (Fabricius) *see* Shrimp, tiger
Penaeus paulensis (Perez-Farfante) *see* Shrimp, pink
Penaeus setiferus L. *see* Shrimp, white
Penaeus vannamei (Boone) *see* Shrimp, white
- Perca fluviatilis* L. *see* Perch, Eurasian
- Perch
 Eurasian, induced spawning, 131
 Macquarie, amino acids in early development, 459
 silver, temperature, phosphorus retention, 259
- Percichthid fish, Australian, early development, 459
- Phosphorus, retention in silver perch, temperature, 259
- Photoperiod, swimbladder inflation, striped bass, 539
- Physiological investigations, neurotoxin-producing *Chattonella marina*, 9
- Phytoplankton, physiological investigations, *Chattonella marina*, 9
- Phytoplankton, toxic, protective surfactants, 569
- Pigmentation pattern, diet, Atlantic halibut, 925
- Pike, Northern
 cryopreservation of sperm, 341
 mtDNA variation, 521
- Pimozide, induced spawning, perch, 131
- Pinctada mazatlanica* (Hanley 1856) *see* Oyster, pearl
- Plasticity, morphology of Atlantic halibut, 949
- Poecilia reticulata* (Peters) *see* Guppy
- Poecilia sphenops* (Cuvier & Valenciennes, 1846) *see* Molly, black
- Polar body, blocking, small abalone eggs, 775
- Polyculture, in Vietnamese ricefields, 649, 661
- Pond age, shrimp, modelling growth rate, 27
- Pond variability, statistical aspects, 281
- Porgy, red
 fasting and refeeding, 447
 growth and body composition, 447
- Potency, fertilization ability, rainbow trout, 337
- Prawn, giant, amino acid/fatty acid profiles, diet, 37
- Probiotic, rotifer growth, 411
- Procambarus clarkii* (Girard) *see* Crayfish, red swamp
- Production
 interaction of rice culture and fish husbandry, 59
 parameters, polyculture in Vietnamese ricefields, 661
- Prophenoloxidase system, yellowleg shrimp, 549
- Protein
 animal sources, Nile tilapia, 275
 dietary effects in rainbow trout, 687
 dietary, reproductive performance, Nile tilapia, 349
 guar seed, Nile tilapia, 703
 requirement, white shrimp, 823
 source, reproduction, rainbow trout, 751
 synthesis, Atlantic halibut, 289
- Pseudoreplication, statistical aspects, 281
- Pteria sterna* (Gould 1851) *see* Oyster, pearl
- Puntius gonionotus* (Bleeker) *see* Barb, silver
Puntius gonionotus (Bleeker) *see* Carp, Javanese
- Ractopamine
 dietary protein effects in rainbow trout, 687
 effects on growth hormone in rainbow trout, 79
 growth performance/carcass composition, rainbow trout, 469
- Random amplified polymorphic DNA analysis (RAPD), heterosis in common carp, 595
- Raphidophyceae, physiological investigations of *Chattonella marina*, 9
- Red drum *see* Drum, red
- Refeeding, growth and body composition, red porgy, 447
- Reproductive performance
 protein source, rainbow trout, 751
 rearing trials, dusky grouper, 769
- Restriction analysis, mtDNA variation, Northern pike, 521
- Rice-fish culture, Vietnam
 fish husbandry management and production, 59
 polyculture, 649, 661
 socio-economic aspects, 47
- Rockfish, Korean, vitamin C supplementation, 237
- Rohu *see* Carp, Indian major
- Rotifer
 in diet of African catfish, 731
 growth, potential probiotic, 411
- Salinity
 adaptation, vitamin C loss by salmon, 609
 development of Atlantic halibut larvae, 203
 prophenoloxidase system, yellowleg shrimp, 549
- Salmon
 Atlantic
 migratory behaviour, 419
 straying and recapture, 679
 wet alginate feed, 397
 chinook, vitamin C loss, adaptation to salt water, 609
 Salmonids, modelling benthic impacts, cage culture, 669
- Salmo salar* L. *see* Salmon, Atlantic
- Salmo trutta* L. *see* Trout, brown
- Salvelinus alpinus* L. *see* Charr, Arctic
Salvelinus fontinalis (Mitchill) *see* Charr, brook
- Sample sizes, pond experiments, 373
- Sampling strategies, bacteria in shrimp pond sediments, 843
- Sciaenops ocellatus* L. *see* Drum, red
- Scomber scombrus* L. *see* Mackerel, Atlantic
- Sea-bream *see* Bream, gilthead sea
- Sebastes schlegelii* (Hilgendorf) *see* Rockfish, Korean
- Seed production
 larval biology, *Strombus luhuanus*, 1
 temperature and light duration, tilapia, 403
- Sexing, immunochemical, yellowfin tuna, 245

- Sex reversal, dusky grouper, 563
- Shrimp
- Indonesia
 - biculture, 743
 - stocking density, 229
 - Pacific, egg and nauplii biochemical variables, spawner conditions, 183
 - pink
 - ammonia-N efflux rate, 495
 - effect of ammonia on broodstock, 815
 - tiger
 - bacteria in pond sediments, 843
 - biculture in Indonesia, 743
 - modelling growth rate, 27
 - stocking density, 229
 - vitamin C and astaxanthin, 579
 - white
 - biota response to aeration rate, 587
 - protein requirements, 823
 - yellowleg
 - feeding practices, 573
 - prophenoloxidase system, temperature and salinity, 549
- Snakehead, culture with formulated feed, 299
- Socio-economic factors, rice-fish culture in Vietnam, 47
- Sparus auratus* L. see Bream, gilthead sea
- Spatfall, Pacific oyster, 19
- Spawning
 - induced see Induced spawning
 - migratory behaviour of Atlantic salmon, 419
- Sperm
 - concentration, brown trout, 439
 - cryopreservation, red drum, 267
 - Northern pike, cryopreservation, 341
- Spirulina maxima*, as fish meal replacement, tilapia, 709
- Spirulina platensis*, diet, common carp, 305
- Starch gel electrophoresis, genetic variability, sea bass, 851
- Statistical aspects
 - autoregressive technique, 625
 - gastric emptying parameters, salmonids, 717
 - length growth modelling, Indian major carp, 625
 - modelling growth, tambaqui, 313
 - one and two season cross-over designs, 153
 - pond variability and pseudoreplication, 281
 - sample sizes, pond experiments, 373
- Sterility, androgen-induced, in black molly, 167
- Stocking density
 - extensive shrimp production, Indonesia, 229
 - formulated feed, snakehead culture, 299
 - growout production, camouflage grouper, 381
 - growth, gilthead sea-bream, 177
 - modelling growth rate, shrimp, 27
- Straying, Icelandic farmed salmon, 679
- Stress, vitamin C and astaxanthin, tiger shrimp, 579
- Strombus luhuanus* L. 1758 see Conch, red-lipped
- Surfactants, against toxic phytoplankton, 569
- Swimbladder inflation, tank colour and photoperiod, striped bass, 539
- Tambaqui, modelling growth, 313
- Tank design, first feeding, Atlantic halibut, 919
- Tapes philippinarum* (Adams & Reeve) see Clam, Manila
- Temperature
 - formulated feed, snakehead culture, 299
 - lipid digestion, Arctic charr, 695
 - modelling growth rate, shrimp, 27
 - phosphorus retention, silver perch, 259
 - preferences
 - Australian abalone, 481
 - brema carp, 643
 - grass carp, 643
 - prophenoloxidase system, yellowleg shrimp, 549
 - seed production, tilapia, 403
 - tolerance, oysters, 103
- Testosterone see Androgens
- Thailand, culture fisheries, small waterbodies, 211
- Thunnus albacares* (Bonnaterre) see Tuna, yellowfin
- Tilapia
 - blue, ultraviolet-induced androgenesis, 359
 - digestibility of *Azolla filiculoides*, 159
 - fish meal replacement, 709
 - hybrid Nile/blue, ultraviolet-induced androgenesis, 359
- Nile
 - animal protein sources in feeds, 275
 - ascorbic acid in diets, 503
 - dietary protein, reproductive performance, 349
 - guar seed as protein source, 703
 - polyculture in Vietnamese ricefields, 649
 - seed production, temperature and light duration, 403
 - ultraviolet-induced androgenesis, 359
- Toxicity
 - ammonia, Chinese mitten-handed crab, 635
 - Chattonella marina*, physiological investigations, 9
 - phytoplankton, protective surfactants, 569
- 3,5,3'-Triiodothyronine (T_3) feeding, Indian major carp growth, 835
- Trout
 - brown
 - gastric emptying parameters, 717
 - sperm concentration, 439
 - rainbow
 - allozymic variation in Chile, 785
 - clove oil anaesthetic, 89
 - dietary fat and growth, 601
 - digestibility markers, 527
 - gastric emptying parameters, 717
 - potency and fertilization, 337
 - protein source and reproduction, 751
 - ractopamine, dietary protein effects, 687
 - ractopamine, growth performance and composition, 469
 - ractopamine, growth hormone and metabolites, 79
- Trout cod, amino acids in early development, 459
- Trypsin activity, in development of brook charr fry, 137
- Tuna, yellowfin, immunochemical sexing, 245
- Ultraviolet-induced androgenesis, in tilapia, 359
- Vibrio* spp., bacterial populations, water quality, 617
- Vietnam
 - interaction of rice culture and fish husbandry management, 59
 - polyculture in ricefields, 649, 661
 - socio-economic aspects, rice-fish culture, 47
- Vitamin C
 - ascorbic acid in diets, Nile tilapia, 503
 - salt water adaptation, chinook salmon, 609
 - stress and disease resistance, tiger shrimp, 579
 - supplementation in Korean rockfish, 237
- Vitellogenin-like protein, immunochemical sexing, yellowfin tuna, 245
- Water quality
 - bacterial counts, cage culture, 617
 - feeding practices, shrimp culture, 573
 - intensive culture, guppy, 611
- Winter culture, feeding practices, shrimp, 573



